AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

 (original): An ink-jet recording ink, comprising a pigment and a compound represented by the following General formula (I):

wherein in General formula (I), R represents a hydrophobic group, or a group derived from a hydrophobic polymer; X represents a bivalent linking group having a hetero bond; n is an integer from 10 to 3500; and structural units of repeated Y comprise at least one structural unit represented by A, C or D, and further comprise 0 to 40% by mole of structural units represented by B:

wherein in structural units A through D, R^1 represents a hydrogen atom or an alkyl group having 1 to 6 carbon atoms; R^2 represents a hydrogen atom or an alkyl group having 1 to 10 carbon atoms; R^3 represents a hydrogen atom or a methyl group; R^4 represents a hydrogen

atom, -CH₃, -CH₂COOH or an ammonium salt thereof or alkali metal salt thereof, or -CN; Z¹ represents a hydrogen atom, -COOH or an ammonium salt thereof or alkali metal salt thereof, or -CONH₂; and Z² represents -COOH or an ammonium salt thereof or alkali metal salt thereof, -SO₃H or an ammonium salt thereof or alkali metal salt thereof, -CONHC(CH₃)₂CH₂SO₃H or an ammonium salt thereof or alkali metal salt thereof, or -CONHCH₃CH₃CH₃Cl².

- (original): An ink-jet recording ink according to claim 1, wherein the hydrophobic group represented by R in General formula (I) is an alliphatic group or an aromatic group.
- (original): An Ink-jet recording ink according to claim 2, wherein the hydrophobic group represented by R in General formula (I) is an alicyclic group.
- 4. (original): An ink-jet recording ink according to claim 2, wherein the hydrophobic group represented by R in General formula (I) is selected from the group consisting of alkyl, alkenyl, alkynyl, phenyl and naphthyl groups.
- (original): An ink-jet recording ink according to claim 4, wherein the hydrophobic group represented by R in General formula (I) is an alkyl group having 3 to 70 carbon atoms.
 - 6. (original): An ink-jet recording ink according to claim 1, wherein R in General formula

- (I) is a group derived from at least one hydrophobic polymer selected from the group consisting of polystyrene, polymethacrylic acid ester, polyacrylic acid ester, polyvinyl chloride, and derivatives thereof.
- (original): An ink-jet recording ink according to claim 5, wherein a polymerization degree of R in the General formula (I) is from 2 to 500.
- 8. (original): An Ink-jet recording ink according to daim 1, wherein the hetero bond in X in the General formula (I) is selected from the group consisting of an ether bond, an ester bond, a thioether bond, a thioester bond, a sulfonyl bond, an amide bond, an imide bond, a sulfonamide bond, a urethane bond, a urea bond, and a thiourea bond.
- (previously presented): An Ink-jet recording ink according to claim 1, wherein Y
 comprises a structural unit represented by A, and the structural unit A is a structural unit
 derived from vinyl alcohol, α-methylvinyl alcohol, or α-propylvinyl alcohol.
- 10. (original): An ink-jet recording ink according to claim 1, wherein the structural unit B is a structural unit derived from vinyl acetate, vinyl formate, vinyl propionate, or an α -substitution product thereof.
- 11. (previously presented): An ink-jet recording ink according to claim 1, wherein Y comprises a structural unit C, and the structural unit C is a structural unit derived from acrylic

acid, methacrylic acid, itaconic acid, maleic acid, an ammonium salt thereof or a metal salt thereof.

- 12. (previously presented): An ink-jet recording ink according to claim 1, wherein Y comprises a structural unit D, and the structural unit D is selected from the group consisting of —CH₂CH(OH)CH₂O-, -CH₂C(CH₃)(OH)CH₂O-, and -CH₂C(C₂H₃)(OH)CH₂O-.
- 13. (original): An ink-jet recording ink according to claim 1, wherein a mass ratio of R to (Y)_n in General formula (I) is from 0.01 to 2, the mass ratio being calculated using atomic weights of respective atoms in R and (Y)_n.
- 14. (original): An ink-jet recording lnk according to claim 1, wherein $(Y)_n$ in General formula (I) comprises, as a structural unit thereof, ethylene, propylene, isobutene, acrylonitrile, acrylamide, methacrylamide, N-vinylpyrrolidone, vinyl chloride or vinyl fluoride.
 - 15. (original): An ink-jet recording ink according to claim 1, further comprising water.
- (original): An ink-jet recording ink according to claim 1, further comprising an watersoluble organic solvent.
- (original): An ink-jet recording ink according to claim 1, further comprising a dispersing agent.

- (original): An Ink-Jet recording ink according to claim 1, further comprising a drying inhibitor.
- (original): An ink-jet recording ink according to claim 1, further comprising a penetration promoter.
- (original): An ink-jet recording ink according to claim 1, further comprising a highboiling water-soluble solvent and a surface tension adjuster.
- (original): An ink-jet recording ink according to claim 1, which has a surface tension of 20 to 60 mN/m.
- 22. (currently amended): An image forming A method _ usingcomprising ejecting or discharging an ink-jet recording ink comprising a pigment and a compound represented by the following General formula (I) to form an image:

wherein in General formula (I), R represents a hydrophobic group, or a group derived from a hydrophobic polymer; X represents a bivalent linking group having a hetero bond; n is an integer from 10 to 3500; and structural units of repeated Y comprise at least one structural unit represented by A, C or D, and further comprise 0 to 40% by mole of structural units

represented by B:

$$A: -(CH_2 - \stackrel{R^1}{O}) \qquad B: -(CH_2 - \stackrel{R^1}{O}) - C^{-R^2}$$

$$C: + \stackrel{R^3}{C} - \stackrel{R^1}{O} - C^{-R^2}$$

$$D: -(CH_2 - \stackrel{R^1}{O} - CH_2 - O) - C^{-R^2}$$

wherein in structural units A through D, R¹ represents a hydrogen atom or an alkyl group having 1 to 6 carbon atoms; R² represents a hydrogen atom or an alkyl group having 1 to 10 carbon atoms; R³ represents a hydrogen atom or a methyl group; R⁴ represents a hydrogen atom, -CH₃, -CH₂COOH or an ammonium salt thereof or alkali metal salt thereof, or -CN; Z¹ represents a hydrogen atom, -COOH or an ammonium salt thereof or alkali metal salt thereof, or -CONH₂; and Z² represents -COOH or an ammonium salt thereof or alkali metal salt thereof, -SO₃H or an ammonium salt thereof, an ammonium salt thereof or alkali metal salt thereof, -COOHC(CH₃D₃C)H or an ammonium salt thereof or alkali metal salt thereof, -CONHC(CH₃D₃C)H or an ammonium salt thereof or alkali metal salt thereof, or -CONHCH₂CH₃D²CH₃SO₃H or an ammonium salt thereof or alkali metal salt thereof, or -CONHCH₂CH₃D²CH₃SO²C.

23. (original): An image forming method according to claim 22, wherein the hydrophobic group represented by R in General formula (I) is an aliphatic group or an aromatic group.